





ū



THE POWER OF VOICE CONTROL

GOOGLE ASSISTANT | SIRI | ALEXA



DRIVERS









RESIDENTIAL DISTRIBUTED AUDIO

Homeowners can now walk into their home, use their phone and open their favorite music service app. Playlist pulled up and playing, the homeowner effortlessly finds the name of the room they want to play music in with two button clicks and boom, their music has been set free. The VSSL A.6x is wired up directly to twelve TruAudio G91 speakers to provide six rooms of music bliss.

COMMERCIAL

The business owner wants to assure music is always on and playing in key areas of his office during business hours, but doesn't want to pay for an expensive automation system to make it happen. The lobby, the showroom and the design center are his areas of focus. The VSSL A.3x is wired up directly to a pair of TruAudio Beat Drops in the lobby, a pair of PP-6 in the showroom and a pair of PP-6 in the design center. Leveraging Google Routines, the business owner can now assure his clients are enjoying music as they make buying decisions.









A.6x

Zones: Channels: **Output Power:** Inputs:

WiFi Audio:

50 watts/ch @8/4 Ω (6) matrixed analog, (1) optical, (1) IR, (1) network AirPlay 2 / Chromecast built-in Spotify Connect / Alexa Cast

WiFi. **Outputs:**

(6) matrixed analog, (1) network

Sub Out:

7-band adjustable

17" W x 4.7" H x 14" D

S/N Ratio: Frequency Response: Operating Voltage: Rack Space: Dimensions No Feet: **Dimensions With Feet:**

20Hz - 50kHz 115-230 VAC 50/60 Hz auto switch 17" W x 3.46" H x 14" D

A.3x

50 watts/ch @8/4 Ω (3) matrixed analog, (1) optical, (1) IR, (1) network AirPlay 2 / Chromecast built-in Spotify Connect / Alexa Cast (3) matrixed analog, (1) network

7-band adjustable

20Hz - 50kHz 115-230 VAC 50/60 Hz auto switch 17" W x 1.72" H x 10.6" D 17" W x 2.42" H x 10.6" D

A.1x

35 watts @ 8Ω RMS, 50 watt @ 4Ω RMS (1) analog, (1) optical, (1) digital coax, (1) IR, (1) network AirPlay 2 / Chromecast built-in Spotify Connect / Alexa Cast / Bluetooth 2.4/5.0 GHz dual antenna MIMO (1) analog, (1) optical, (1) digital coax, (1) network 7-band adjustable RCA, adjustable cross over 55-200 Hz or by-pass for full range >98 dBA-weighted 20Hz - 20kHz 115-240 VAC 50/60 Hz auto switch 7.44" W x 1.69" H x 8.69" D 7.44" W x 2" H x 8.69" D















5.2

WIRELESSLY PAIR TWO SX SPEAKERS WITH A SX SOUNDBAR AND TWO SX SUBWOOFERS TO CREATE AN IMMERSIVE 5.2 SURROUND SOUND EXPERIENCE.

BMR

BALANCED MODE RADIATORS (BMRs) COMBINE BENDING WAVE MODE TECHNOLOGY WITH PISTONIC MOTION TO CREATE FULL AUDIO RANGE, WIDE DIRECTIVITY SPEAKER DRIVERS FOR CRYSTAL CLEAR HIGHS AND LOWS.

NATIVE STREAMING™ IS THE SIMPLEST WAY TO STREAM YOUR MUSIC TO YOUR AUDIO SYSTEM. STREAM FROM APPS YOU ALREADY KNOW. NO THIRD PARTY APPS NECESSARY.



SOUNDBAR

Speakers: . Woofers: Amplifer: System Requirements: 3 wide-dispersion BMR drivers 2 active down-firing woofers X Class-D digital amplifiers TV with HDMI ARC or optical digital audio output, broadbad internet and the VSSL App

Wireless Connectivity:

Connects to WiFi network with any 802.11 b/g/n, 2.4GHz broadcastcapable router Advanced EQ settings

Ethernet Ports:

EQ: (2) 10/100 Mbps Ethernet ports **Room Correction:**

Dynamically tunes the soundbar to the unique acoustics of the room or area (iOS device required)

Power Supply:

Auto-switching 100-240V ~50-60 Hz 2 A AC universal input

18.2 lbs Weight: Dimensions:

Control:

L: 42" (1067mm) x W: 6" (154mm) H: 3.3" (84mm)

Multiple Orientations:

Tabletop or wall mounted TV remote or VSSL App





Speakers: Woofers: Stereo Pair:

1 active down-firing 4" woofer Turn two speakers into separate left and right channel speakers Add two SX Speakers as surrounds to

1 wide-dispersion BMR driver

Home Theater: a SX Soundbar

AirPlay2, Google Cast, Alexa Cast, and Spotify Connect Stream:

Voice: Compatible and controllable with

Siri, Google Assistant, and Alexa Wireless Connectivity:

Connects to WiFi network with any 802.11 a/b/g/n, 2.4 of 5 GHz broadcast-capable speaker Advanced EQ settings

EQ: Ethernet Ports: (2) 10/100 Mbps Ethernet ports **Room Correction:** Dynamically tunes the soundbar to

area (iOS device required) Auto-switching 100-240V ~50-60Hz 2 **Power Supply:**

A AC universal input

4.6 lbs H: 7.9" (202mm) x W: 5.7" (145mm) Weight: Dimensions:

D: 5.8" (149mm)

Tabletop placement or wall mounted with .25"-20 thread universal mount





Speakers: Amplifier: Dual Acoustic Ports:

Multiple Orientations:

All Digital Sound:

EO: Ethernet Ports: Wireless Connectivity: Power Supply:

> Weight: Dimensions:

Multiple Orientations:

Class-D digital amplifier

Tuned to enhance subwoofer performance All filter settings, active equalization, and time alignment are done digitally through DSP circuitry for zero-loss audio quality and energy

Advanced EQ settings
(2) 10/100 Mbps Ethernet ports (optional)
Connects to any SX Soundbar or SX Speaker Auto-switching 100-240V ~50-60 Hz 2 A AC

L: 21.7" (550mm) x W: 16.9" (431mm) H: 4.4" (111mm)

Fix in stand upright or lay flat

